



14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

January 15, 2020

SU KEUN LEE
SUNGKWANG BEND CO. LTD.
26 NOKSANSANDAN 262-RO
GANGSEO-GU, BUSAN 618-820
KR

Service Request Type.: BPV-National ACI Central
Service Request No.: 2719404
Your Reference No.:
Registered to.: SUNGKWANG BEND CO. LTD.

Dear SU KEUN LEE,

Please find enclosed the original response from PEI, NS, NB, NFLD, YK, NWT, NU, registered under the CRN No.: 0A13361.59870YTNR2.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Cecylia Garbacz
Administrative Assistant_ BPV Engineering
Tel. : 416-734-3328
Fax : 416-231-6183
Email : cgarbacz@tssa.org

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: SUNGKWANG BEND CO., LTD.
 MANUFACTURERS ADDRESS: 26, Noksansandan 262-ro, Gangseo-gu, Busan, Korea
 PLANT LOCATIONS: 26, Noksansandan 262-ro, Gangseo-gu, Busan, Korea

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
<input checked="" type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="radio"/> B Flanges: all flanges <input type="radio"/> C Valves: all line valves <input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="radio"/> E Strainers, filters, separators, and steam traps <input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="radio"/> H Pressure retaining components that do not fall into one of the above categories <input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting AECB or ASME requirements)	ASTM, ASME SECTION II, ASME B16.9/B16.11/B16.25/ B31.3/B36.10/B36.19, MSS SP-75/-79/-83/-95/-97

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
	FORGED <input type="checkbox"/> WELDED <input checked="" type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:


- LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**
- Catalog(22th Ed. - Jul.2017)
 - ISO Certificate(Q 127)
 - Scope of Product Registration
 - Report of Design Proof Test
 - Calculation
 - Drawing

DECLARATION:
 I Seong Yong, Kim (see note 3) employed by Sungkwang Bend Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Hartford Steam Boiler RS as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at Busan, Korea

This 19th day of August AD 2019.

Commissioner of Oaths
 or Notary Public: (sign) 
 (App. Official with the right)
Park Yong-soo

USE THIS SPACE FOR OFFICIAL




This registration must be revalidated after ten (10) years from the date of acceptance.

ACCEPTED
 PROVINCE OF PRINCE EDWARD ISLAND
 COMMUNITIES, LAND & ENVIRONMENT

CRN: 0A13361.5 REV2
 FID#: 15239

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

C.R.N. 0A13361.59 REV2
 DATE: Nov. 29 2019

 INSPECTION SERVICES SECTION
 BOILER/PRESSURE VESSEL BRANCH

CRN EXPIRES NOV 11, 2029 - D.G.


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>SUNGKWANG BEND CO., LTD.</u>	
MANUFACTURERS ADDRESS: <u>26, Noksansandan 262-ro, Gangseo-gu, Busan, Korea</u>	
PLANT LOCATIONS: <u>26, Noksansandan 262-ro, Gangseo-gu, Busan, Korea</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<input checked="" type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="radio"/> B Flanges: all flanges <input type="radio"/> C Valves: all line valves <input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="radio"/> E Strainers, filters, separators, and steam traps <input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="radio"/> H Pressure retaining components that do not fall into one of the above categories <input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASTM, ASME SECTION II, ASME B16.9/B16.11/B16.25/ B31.3/B36.10/B36.19, MSS SP-75/-79/-83/-95/-97
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input checked="" type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: - Catalog(22th Ed. - Jul.2017) - ISO Certificate(Q 127) - Scope of Product Registration - Report of Design Proof Test - Calculation - Drawing	

DECLARATION:

I, Seong Yong, Kim (from note 3) employed by Sungkwang Bend Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Hartford Steam Boiler RS as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Busan, Korea

This 19th day of August AD 2019.

Commissioner of Oaths or Notary Public: (sign) [Signature]

Park Yong Seon
(As a Notary Public for the right)

USE THIS SPACE FOR
OFFICIAL



This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0A13361.5 REV2

FID#: 15239

Notes:

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

CRN EXPIRES NOV 11, 2029 - D.G.



C.R.N. 0A13361.5BREV2
Dwg. as described
Signed Yvonne Perry



UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR


MANUFACTURERS NAME: SUNGKWANG BEND CO., LTD.
MANUFACTURERS ADDRESS: 26, Noksansandan 262-ro, Gangseo-gu, Busan, Korea
PLANT LOCATIONS: 26, Noksansandan 262-ro, Gangseo-gu, Busan, Korea

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 Class 2 Class 3 , (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
 ASTM, ASME SECTION II,
 ASME B16.9/B16.11/B16.25/
 B31.3/B36.10/B36.19,
 MSS SP-75/-79/-83/-95/-97

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

- Catalog(22th Ed. - Jul.2017)
- ISO Certificate(Q 127)
- Scope of Product Registration
- Report of Design Proof Test
- Calculation
- Drawing

DECLARATION:

I, Seong Yong, Kim (see note 3) employed by Sungkwang Bend Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Hartford Steam Boiler RS as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at Busan, Korea

This 19th day of August AD 2019.

Commissioner of Oaths or Notary Public: (sign) 
Park Yongsoo
 (Affix official seal to the right)


USE THIS SPACE

OFFICIAL

New Brunswick
 DEPT OF JUSTICE PUBLIC SAFETY & PRESSURE VESSELS

REGISTRATION ONLY


CRN OA13361.57REV2


 CHIEF BOILER INSPECTOR

DATE 11/29/2019

BLRs PVs

FITTINGS NUCLEAR COMPONENTS



This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OA13361.5 REV2
 FID#: 15239

- Notes:**
1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

CRN EXPIRES NOV. 11, 2029 - D.G.


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON


PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>SUNGKWANG BEND CO., LTD.</u>	
MANUFACTURERS ADDRESS: <u>26, Noksansandan 262-ro, Gangseo-gu, Busan, Korea</u>	
PLANT LOCATIONS: <u>26, Noksansandan 262-ro, Gangseo-gu, Busan, Korea</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p><input checked="" type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="radio"/> B Flanges: all flanges</p> <p><input type="radio"/> C Valves: all line valves</p> <p><input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="radio"/> E Strainers, filters, separators, and steam traps</p> <p><input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="radio"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASTM, ASME SECTION II, ASME B16.9/B16.11/B16.25/ B31.3/B36.10/B36.19, MSS SP-75/-79/-83/-95/-97</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION	
FORGED <input type="checkbox"/> WELDED <input checked="" type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
<ul style="list-style-type: none"> - Catalog(22th Ed. - Jul.2017) - ISO Certificate(Q 127) - Scope of Product Registration - Report of Design Proof Test - Calculation - Drawing 	

DECLARATION:

I, Seong Yong, Kim (see note 3) employed by Sungkwang Bend Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Hartford Steam Boiler RS as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at Busan, Korea

This 19th day of August AD 2019.

Commissioner of Oaths or Notary Public: (sign) 

Park Yong Seon
(After Officer with in the right)

USE THIS SPACE FOR OFFICIAL



This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OA13361.5 REV2


FID#: 15239

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

CRN EXPIRES NOV. 11, 2029 - D.G.

Newfoundland
Labrador
Service NL

Registered OA13361.50 Rev.2
Date 19/11/29
Engineering and Inspection Services
Registered by 

UNDER THE AUTHORITY OF THE
PUBLIC SAFETY ACT AND
THE BOILER, PRESSURE VESSEL AND
COMPRESSED GAS REGULATIONS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR
 NUNAVUT YUKON NORTHWEST TERRITORIES

MANUFACTURERS NAME: SUNGKWANG BEND CO., LTD.
 MANUFACTURERS ADDRESS: 26, Noksansandan 262-ro, Gangseo-gu, Busan, Korea
 PLANT LOCATIONS: 26, Noksansandan 262-ro, Gangseo-gu, Busan, Korea

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 Class 2 Class 3 , (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
 ASTM, ASME SECTION II,
 ASME B16.9/B16.11/B16.25/
 B31.3/B36.10/B36.19,
 MSS SP-75/-79/-83/-95/-97

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

- Catalog(22th Ed. - Jul.2017)
- ISO Certificate(Q 127)
- Scope of Product Registration
- Report of Design Proof Test
- Calculation
- Drawing

DECLARATION:
 I Seong Yong, Kim (see note 3) employed by Sungkwang Bend Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Hartford Steam Boiler RS as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at Busan, Korea

This 19th day of August AD 2019.

Commissioner of Oaths or Notary Public: (sign) 
Park Yong Seo (As an Official, sign to the right)


USE THIS SPACE FOR OFFICIAL



This registration must be revalidated after ten (10) years from the date of acceptance

CRN: 0A13361.5 REV2
 FID#: 15239

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.
 CRN EXPIRES NOV. 11, 2029 - D.G.




UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURER'S NAME: <u>SUNGKWANG BEND CO., LTD.</u>	
MANUFACTURER'S ADDRESS: <u>26, Noksansandan 262-ro, Gangseo-gu, Busan, Korea</u>	
PLANT LOCATIONS: <u>26, Noksansandan 262-ro, Gangseo-gu, Busan, Korea</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<input checked="" type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="radio"/> B Flanges: all flanges <input type="radio"/> C Valves: all line valves <input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="radio"/> E Strainers, filters, separators, and steam traps <input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="radio"/> H Pressure retaining components that do not fall into one of the above categories <input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASTM, ASME SECTION II, ASME B16.9/B16.11/B16.25/ 831.3/B36.10/B36.19, MSS SP-75/-79/-83/-95/-97
SHOW MANUFACTURER'S NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input checked="" type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: - Catalog(22th Ed. - Jul.2017) - ISO Certificate(Q 127) - Scope of Product Registration - Report of Design Proof Test - Calculation - Drawing	

DECLARATION:

I, Seong Yong, Kim (see note 3) employed by Sungkwang Bend Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Hartford Steam Boiler RS as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at Busan, Korea

This 19th day of August AD 2019.

Commissioner of Oaths or Notary Public: (sign) Park Yongsoo

Park Yongsoo
(Attorney at Law)
This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.


CRN: 0A13361.5 REV2

FID#: 15239

Notes:

- All fittings shall be registered in the name of the Manufacturer.
 - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.
- CRN EXPIRES NOV. 11, 2029 - D.G.

USE THIS SPACE FOR OFFICIAL



65.00


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>SUNGKWANG BEND CO., LTD.</u>	
MANUFACTURERS ADDRESS: <u>26, Noksansandan 262-ro, Gangseo-gu, Busan, Korea</u>	
PLANT LOCATIONS: <u>26, Noksansandan 262-ro, Gangseo-gu, Busan, Korea</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<input checked="" type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ye, plugs, unions, pipe caps, or reducers <input type="radio"/> B Flanges: all flanges <input type="radio"/> C Valves: all line valves <input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="radio"/> E Strainers, filters, separators, and steam traps <input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="radio"/> H Pressure retaining components that do not fall into one of the above categories <input type="radio"/> I Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASTM, ASME SECTION II, ASME B16.9/B16.11/B16.25/ B31.3/B36.10/B36.19, MSS SP-75/-79/-83/-95/-97
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input checked="" type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: - Catalog(22th Ed. - Jul.2017) - ISO Certificate(Q 127) - Scope of Product Registration - Report of Design Proof Test - Calculation - Drawing	

DECLARATION:

I Seong Yong, Kim (see note 3) employed by Sungkwang Bend Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Hartford Steam Boiler RS as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at Busan, Korea

This 19th day of August AD 2019.

Commissioner of Oaths or Notary Public: (sign) Park Yong Seon

Park Yong Seon
(Notary Public in the right)

USE THIS SPACE FOR OFFICIAL



This registration must be revalidated after ten (10) years from the date of acceptance

CRN: 0A13361.5 REV2

FID#: 15239



Boilers and Pressure Vessels Act


REGISTERED

Notes:

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

CRN 0A13361.5 N Rev2

Date Dec 4, 2019

Signed 

Chief Inspector

CRN EXPIRES NOV.11, 2029 - D.G.

Territorial Registration Fee